Keep your camera clean enjoy your passion!



Camera Cleaning

		LCD Monitor	Touch Screen	Viewfinder	Body	Lens & Filter
Code	Product					
CS-1500	Cleaning Kit	✓	✓	√	√	√
T-1020	Silky Wipe	✓	✓	-	✓	✓
T-1060	Air Blower "Blue Booster"	-	-	✓	✓	✓
T-1070	2-Step Vario-Brush	-	-	✓	√	-
C-6010	Touchpad Cleaner	✓	✓	-	√	-
LC-1000	Silky Liquide & Wipe	✓	✓	✓	✓	✓
LC-7000	Optic Cleaning Kit	✓	-	√	√	✓
LC-7010	Lens Cleaner	✓	_	✓	✓	✓

Sensor Cleaning System

Code	Sensor Size ► Product	Four-Thirds 17,3 x 13,0	Foveon 20,7 x 13,8	APS-C 22,2 x 14,8	DX 23,7 x 15,6	Full Frame 36,0 x 24,0	Medium Format 48,0 x 36,0
SC-4000	Sensor Cleaning System FF	-	-	-	-	✓	-
SC-4060-3	Replacement Wet & Dry FF	-	-	-	-	√	-
SC-4100	Mini Vacuum Traveller Kit	✓	✓	✓	✓	✓	-
SC-4200	Sensor Cleaning System NFF	✓	√	✓	✓	-	-
SC-4070-3	Replacement Wet & Dry NFF	✓	√	✓	✓	-	-
SC-5200	After Shake Kit	√ *	√ *	√ *	√ *	-	-
SC-5070-3	Replacement Wet & Dry	√ *	√ *	√ *	√ *	-	-
SC-8000	Digi Back Cleaning System	_	-	-	_	_	✓

^{*} for DSLR cameras with ultrasonic vibration



Camera Cleaning Safe for use with all digital cameras, filters, smartphones,



CS-1500 Cleaning Kit

for foto, video, audio, IT equipment, hobby

Contents:


- ► 1 x Air Blower "Blue Booster"
- ► 1 x Retractable 2-Step Vario-Brush
- ► 1 x Optical Fluid 30 ml spray pump bottle
- ► 1 x Silky Wipe Cleaning cloth 25 x 25 cm
- ► 6 x Cotton Swabs "double ¶ tip"



blower for extra strong air-flow

removes dust particles from delicate surfaces such as lenses and more





► T-1070 Retractable 2-Step Vario-Brush

- the goat-hair brush is particularly soft and adjustable in two steps:
- 19 mm = firm 34 mm = soft
- antistatic effect
- table and therefore protected in the handle
- washable with babyshampoo and lukewarm water





LCD monitors, photo frames and other optical equipment

► T-1020 Silky Wipe

- Green Clean Silky Wipe 25 x 25 cm consists of smooth, tightly spun silk derivative/ cotton yarns, without chemical binders or bleach
- ► the quality of the cloth is therefore very soft and it does not quickly absorb the cleaning fluid
- ➤ washable 30°C



LC-1000 Silky Liquide & Wipe

for lenses, filters, optics, photo frames

- powerful optical cleaner with dirt-repellent effect
- careful cleaning
- ▶ fast acting
- ➤ dirt-repellent effect
- residue-free
- no alcohol
- ➤ washable 30°C



C-6010 Touchpad Cleaner

for smartphones, tablets, netbooks, GPS

- high quality lint free microfibre cloth 20 x 20 cm, can be used wet and dry
- ➤ washable 30°C
- ► liquid contains no alcohol
- provides antistatic protection and anti smudge effect







Sensor Cleaning System Professional System for DSLR Cameras: safe, eco



All digital CCD & CMOS sensors have sensitive surfaces which are best left untouched. Removing dust particles with the contact-free method of the Mini Vacuum prevents mechanical damage of the sensor surface!





If smear or grime remain on sensor after vacuum action, use Wet & Dry pre-soaked applicators wet foam swab and dry sweeper.

Sensor Cleaning
System Full Frame Size

for sensor size 36 x 24 mm

Contents:

- ► 1 x Air + Vacuum Power HI TECH 400 ml
- ► 1 x Mini Vacuum V-3000
- ➤ 3 x Wet & Dry Sachets full frame size (24 mm)
- ➤ 3 x Pick Up protective tube



SC-4100
Mini Vacuum
"Traveller Kit"

Contents:

- ► 1 x Air + Vacuum Power HI TECH 150 ml
- ► 1 x Mini Vacuum V-3000
- 2 x Pick Up protective tube



SC-4200
Sensor Cleaning
System Non Full Frame Size

for sensor size 15 mm up to 24 mm

Contents:

- ► 1 x Air + Vacuum Power HI TECH 400 ml
- ► 1 x Mini Vacuum V-3000
- ➤ 3 x Wet & Dry Sachets non full frame size (15 mm)
- 3 x Pick Up protective tube



nomical and effective

► SC-4060 Wet & Dry Full Frame Size

for sensor size

36 x 24 mm

- ➤ Wet & Dry are pre-soaked, individually sealed applicators with correct fluid content.
- The special pretreatment of our Dry Sweeper guaranteés stripe free cleaning!






► SC-4050 Pick-Up

protective tube for Mini Vacuum

- abrasion-free
- non conductive
- rumped shaped end
- ergonomical bend for easy handlina



► SC-4070 Wet & Dry Non Full Frame Size

for sensor size 15 mm up to 24 mm

- ➤ Wet & Dry are pre-soaked, individually sealed applicators with correct fluid content.
- ➤ The special pretreatment of our Dry Sweeper guarantees stripe free cleaning!



► SC-0500 Clip & Flip

the hands free magnifier

its crystal-clear acrylic lenses give you a sharp, distortion free view that allows you to see the finest details at the low-pas filter



Air + Vacuum Power, 150 ml or 400 ml

► HI TECH pressurized gas is especially strong, stable and productive thus resulting in the most economical method of sensor cleaning.







Sensor Cleaning System for cameras with ultra sonic dust-reduction



An inexpensive solution saving you a trip to the camera service.

SC-5200 After Shake Kit

Contents:

- ► 5 x Wet & Dry After Shake
- ➤ 1 x Clip & Flip "hands free magnifier"
- ► 1 x lint free polishing cloth 10 x 10 cm

SC-5070 After Shake – Wet & Dry

- ► Wet & Dry are pre-soaked, individually sealed applicators with correct fluid content.
- The special pre-treatment of our Dry Sweeper guarantees stripe free cleaning.





The professional way to clean digital backs

► SC-8000 Digi Back Cleaning System

Contents:

- ► 1 x HI TECH 400 ml
- ► 1 x Top Ventil release valve
- ► 1 x Antistatic thunderon brush
- ► 10 x "Silky Wipe" cloths 8 x 8 cm
- ➤ 1 x Digital Capture Back Cleaning Liquid 15 ml



SC-8050 Digi Back Cleaning Replacement

Contents:

- ➤ 10 x "Silky Wipe" cloths 8 x 8 cm
- ➤ 1 x Digital Capture Back Cleaning Liquid 15 ml





All digital capture sensors (CCD & CMOS) have sensitive surfaces which are best left untouched. Contact-free cleaning methods are best! The unique Antistatic Set removes dust and antistatic charges from the sensor surface without direct contact.



If, after loose particles have been removed, smudges are still present on the surface apply Digi Back Cleaner and distribute with Silky Wipe.





Optic Cleaning





Trust the material that's used by professional workshop technicians.

► LC-7000 Optic Cleaning Kit

Contents:

- ► 1 x 150 ml Air Power
- ► 10 pc Lens Cleaner

Removes dust particles from the front lens. You can only achieve a perfect result by using an aerosol with compressed air.

Should sticky particles, grime streaks or finger prints remain, it is time to use a Wet and Dry cleaning method.



LC-7010-10 / LC-7010-50

Lens Cleaner – 10 pc / Lens Cleaner Box – 50 pc

Consisting of both a wet and a dry special fleece cloth, packed in duo-sachets. The quality of the cloth used is decisive for the effectiveness of the cleaning agent.

The cloth is soaked with an exact dosage of the solution and specially developed for use on the surface of high-tech coated lenses.



Discover the other half of Green Clean





Dust particles may scratch sensitive surfaces when they are mechanically removed. Non-contact and residue-free cleaning is therefore imperative.

- ► Air & Vacuum Power and Dusting Tools are essential for maintenance, service and repairs of sensitive components.
- Air Power with one-use valve is the disposable version for air dusting.

The power for both is "Green Clean" purified compressed gas.



Dusting Tools

Top Valve

Exact pressure control for economical and pinpoint accuracy.

- Antistatic Adapter
 Removes dust and static.
- Dual Extender Set
 For optional use with plastic
 extension tube or pipe with
 stable metal tip.
- Mini Vacuum
 "Under pressure" Venturi
 principle for gentle
 vacuuming or lifting
 off particles. Up to 2 mm.



Hearing aid Cleaning


Air Pressure removal of dirt from the duct of "behind the ear" and "in the ear" devices is best for a safe cleaning process at low cost.

A specially developed valve for safe handling – the comfortable feeling and improved function of the hearing is only maintained if the vent duct is open.



Green Clean for Clean Screen

Working by Cleanliness!
Anti-static and Casing Cleaner,
Intensive Cleaners for
housings, Roller Cleaners,
Universal Cleaner,
LCD TFT & Plasma Cleaner,
Cleaning Clothes and Swabs.





Keep your camera clean













RODOLFO BIBER, S.A. Salcedo, 8 E-28034 MADRID

Tel: 917 292 711 Fax: 917 293 829 e-mail: info@robisa.es web: www.robisa.es

